



DESIGNED FOR PROFESSIONAL PRINTING OF

EFFECTIVE BUSINESS & RETAIL SOLUTIONS



6-Colors Series Large Format Printers



Business Can be simple

OVERVIEW OF 6-COLOR PRINTERS



This 24-inch model is ideal for quick large format printing with excellent print quality and is further equipped with a new 6-ink system including red ink for incredibly vibrant colors in sales posters, discount signs, and retail signage.

The highly productive 44-inch iPF8410SE model utilizes large capacity ink tanks and a new 6-ink system with red ink to deliver high-quality prints with vivid colors in shop banners, announcements, and POP displays.

SIZE	A1		SIZE	AO	
PAPER	Plain Paper	Heavy Coated Paper	PAPER	Plain Paper	Heavy Coated Paper
MODE	Fast	Standard	MODE	Fast	Standard
PRINT SPEED	– ————————————————————————————————————	Approx. 1min 45sec	PRINT SPEED	Approx. 1min 42sec	Approx. 3min 5sec
EASE OF	USE		EASE OF	USE	
Roll Pape / Cut She	eets 256MB	130 / 300ml Ink Tank	Roll Pap / Cut She	eets 384MB	330 / 700ml Ink Tank



Vibrant, Eye-Catching Color Quality



On-The-Spot Printing



Posters with Photos and Illustrations



Retail, Service and Educational Printing Needs

6-COLOR SERIES FEATURES

6-COLOR LUCIA EX INK SET

Canon's 6-Color LUCIA EX ink system is formulated for vibrant point-of-purchase materials and retail signage that are eye-catching. A new **red** ink is added to the existing C, M, Y, BK and MBK colors, for expanded color gamut in the yellow-red regions. LUCIA EX pigment inks are colorfast, fade-resistant and compatible with a wide range of print media including fabric banners or cloth.



HIGH-QUALITY PRINTS AT LOW COSTS

The 6-Color series large format printers meet the needs of business owners and service providers looking for a low cost yet high-resolution pigment ink model that provides on-the-spot printing with broad media support.

FAST MODE PRINTING

In Fast Mode, these 6-Color SE models only take about one minute to print out one Al/D-sized poster on coated paper. This quick turnaround time is ideal for retail stores or businesses that often produce point-of-purchase sales materials, posters or banners.



LARGE-CAPACITY INK TANKS

The 24-inch iPF6410SE model is equipped with either options of 130ml or 300ml ink tanks, while the 44-inch iPF8410SE model comes with either 330ml or 700ml ink tanks. The 6-Color SE models also consume less ink as the printers do not use light density inks. Both come with sub ink tanks which reduce downtime by enabling ink replacement during printing.

OPTIMIZED FOR POSTER CREATION

Both 6-Color SE models come with ample software for poster creation. The printers include PosterArtist Lite which enables users to easily produce high-grade posters without the need for any specialized design skills.

In addition, the wizard-based Print Plug-In for Office enables easy large format printing from familiar Word or PowerPoint environments.



SPECIFICATION 6-COLOR PRINTER						
		iPF6410SE (24") NEW	iPF8410SE (44") NEW			
INK TYPE		Pigment inks ; LUCIA EX ; 6 colors: BK/MBK/C/M/Y/R	Pigment inks ; LUCIA EX ; 6 colors: BK/MBK/C/M/Y/R			
INK TANK CAPACITY		130ml / 300ml	330ml / 700ml			
MAXIMUM PRINT RESOLUTION		2400 x 1200dpi	2400 x 1200dpi			
DIMENSIONS (WxDxH) (mm), WEIGHT (kg) (Net)						
Main unit with a basket & Printer Stand		1017 (W) x 870 (D) x 991 (H) mm; approx. 54kg	1,893 (W) x 971 (D) x 1,144 (H) mm; approx. 117kg			
Main Unit with Pallet		1,180 (W) x 916 (D) x 645 (H) mm; Weight: approx. 74 kg	2,080 (W) x 1,060 (D) x 840 (H) mm; Weight: approx. 185 kg			
POWER SUPPLY Input Power Power Consumption Standby Power Consumption Power Off (Standby)		AC 100 - 240V (50 - 60 Hz) Operation: 100W or less 5W or less 0.5W or less	AC 100 - 240V (50 - 60 Hz) Operation: 190W or less 5W or less 0.5W or less			
OPERATIONAL ENVIRONMENT		Temperature: 15 - 30°C Humidity: 10 - 80% (Condensation-free)	Temperature: 15 - 30°C Humidity: 10 - 80% (Condensation-free)			
ACOUSTIC NOISE Acoustic Pressure Acoustic Power		Operation: Approx. 49dB (A) or less Standby: 35dB (A) or less Operation: Approx. 6.4 Bels or less	Operation: Approx. 50dB (A) or less Standby: 35dB (A) or less Operation: Approx. 6.8 Bels or less			
STANDARD MEMORY		256MB	384MB			
INTERFACE Built-in Expansion Slot		USB 2.0 HI SPEED10BASE-T, 100BASE-TX None	USB 2.0 HI SPEED10BASE-T, 100BASE-TX None			
MEDIA HANDLING Media Feed and Output Roll Paper Cut Sheet		1 Roll, Top loading, Front output Top loading, Front output Manual Feed: 1 sheet	1 Roll, Top loading, Front output Front loading, Front output Manual Feed: 1 sheet			
Media Thickness	Roll Paper Cut Sheet	0.07 - 0.8 mm	0.07 - 0.8 mm			
Maximum Roll Outer Diameter		150 mm	150 mm			
Media Core Size		Internal diameter of roll core: 2" / 3"	Internal diameter of roll core: 2" / 3"			
Media Width	Roll Paper Cut Sheet	203.2 - 610mm Manual Feed (Top): 203.2 - 610mm	254 - 1,1176mm Manual Feed (Top): 203.2 - 1,1176mm			
Maximum Printable Length	Roll Paper Cut Sheet	18m 1.6m	18m 1.6m			
Printable Margins	Roll Paper Roll Paper (Borderless Print)	All sides: 3mm All sides: 0mm Manual feed from top All sides: 3mm	All sides: 5mm All sides: 0mm Cut Sheet Bottom: 23mm, Others: 5mm			
IMAGE *All dimensions not drawn to scale		991mm 1017mm	1144mm 1893mm			



Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS CANON SINGAPORE PTE. LTD.

1 HarbourFront Avenue #04-01 Keppel Bay Tower, Singapore 098632

Tel: 65-6799-8888 Fax: 65-6799-8882

www.canon-asia.com

www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

BANGLADESH

J.A.N. Associates Ltd House 25, Road 5 Dhamondi R/A Dhaka-1205, Bangladesh Tel: 880-2-8611444 Fax: 880-2-8610410

BRUNFI

Interhouse Company No. 5-7 Bunut Jaya Complex Spg 574 Jalan Tutong BF1320 P.O. Box 423, Seri Complex Bandar Seri Begawan BA 1779 Brunei Darussalam Tel : 673-2-653001 Fax : 673-2-653003

CAMBODIA

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: 855-23-428955 Fax: 855-23-722961

HONG KONG

Canon Hongkong Co.Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 825-3191-2388 Fax: 825-2369-3800

INDIA

Canon India Pvt. Ltd 7th Floor, Tower B DLF Cyber Terraces DI F Phase-3 Gurgaon — 122002 Haryana, India Tel : 91-124-4160000 Fax : 91-124-4160011

INDONESIA

PT Datascrip Kawasan Niaga Selatan Blok B-15 Bandar Kemayoran, Jakarta 10610 Indonesia Tel : 62-21-6544515 Fax: 62-21-6544811 to 13

MALAYSIA

Canon Marketing (Malaysia) Sdn. Bhd. Block D, Peremba Square Saujana Resort Section U2 40150 Shah Alam Selangor Darul Ehsan, Malaysia Tel: 60-3-78446000 / 78450055 Fax: 60-3-78446196 / 6198

MALDIVES

SIMDI Company Pvt. Ltd. G. Faith, Majeedhee Magu Male' 20-129 Republic of Maldives Tel: 960-3334421 Fax: 960-3334424

MYANMAR

Myanmar Golden Rock International Co., Ltd.
Level 6, FJV Commercial Center No: 422-426, Strand Road Botataung Township Yangon, Myanmar Tel: 95-1-202092 to 96 Fax: 95-1-202079

NEPAL

International Electronics Concern (P) Ltd Kha 14, 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu Nepal P.O. Box 12588 Tel : 977-1-4421991 Fax: 977-1-4421909

PAKISTAN

FAND IAN
Shirazi Trading Company (Pvt.) Ltd
8th Floor, Adamjee House
I.I. Chundrigar Road
Karachi 74000 Pakistan
Tel : 92-21-3241 (7659), (7737) or (7746)
Fax : 92-21-(32417747), (32420417) or (32420418)

PHILIPPINES

Canon Marketing (Philippines), Inc. Ground Floor Commerce and Industry Plaza Campus Ave. Cor. Park Ave., McKinley Hill Fort Bonifacio, Taguig City Tel: 632-884-9000 Fax: 632-556-1456

SRI LANKA

Metropolitan Computers (Pvt.) Ltd 85. Braybrook Place Colombo 2 Sri Lanka Tel : 94-11-2437797 Fax : 94-11-2448980

THAILAND

Canon Marketing (Thailand) Co., Ltd. No.98 Sathorn Square Office Tower 21st to 24th Floor, North Sathorn Road Silom, Bangrak, Bangkok 10500 Tel: 66-2-3449988 Fax: 66-2-3449861

VIETNAM

Canon Marketing Vietnam Company Ltd. Unit 6, 6th Floor, Saigon Centre 65 Le Loi, District 1, Ho Chi Minh City Vietnam Tel: (84-8) 38200 466 Fax: (84-8) 38200 477

Hanoi Representative Office 11 Floor, CharmVit Tower 117 Tran Duy Dung, Hanoi Vietnam

Tel: (84-4) 37711 677 Fax: (84-4) 37711 678

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.