

imageCLASS

MF232w | MF241d | MF244dw

Canon

Delighting You Always




PRINT | COPY | SCAN

COMPACT CONVENIENCE.

FOR SMALL BUSINESSES.



PERFORMANCE PRODUCTIVITY



CONVENIENT EFFICIENCY



SMART CONNECTIVITY

Business *can* be simple



START SMALL. YIELD BIG RESULTS.

Keeping it simple is the new way to stay on top of your business. The latest imageCLASS 3-in-1 Print, Copy & Scan multi-function laser printers come equipped with superb print speeds as well as an intuitive interface for ease of use. They are compact, high-performance and designed to give you a whole lot more.

PERFORMANCE PRODUCTIVITY



AMAZING SPEED

Receive documents fast, printed and ready in 6 seconds or less with Canon's On Demand Fixing Technology, at blazing speeds of 23ppm for MF232w, and 27ppm for MF241d and MF244dw.



QUALITY MEETS CONTROL

Expect crisp, sharp printouts with up to 1200 x 1200dpi (equivalent) print resolution. The MF244dw also comes standard with PCL language, ensuring smooth integration into most office print environments.

GREEN SAVINGS



LESS BRINGS YOU MORE

Perform double-sided prints with duplex printing on MF241d and MF244dw as you effectively save on paper resources. Users can also look forward to greater cost savings with the Sleep Mode, as energy consumption is minimised when your printer is not in use.

CONVENIENT EFFICIENCY



5 line

EASE WITH EVERY USE

Designed with a 5-line LCD display, you can view more menu options at one glance. Navigation also becomes a breeze with One-Touch Solution Keys to access Paper Save Copy, ID Copy and Scan to PC features.



ACCESS FROM YOUR DESK

The Remote UI available with the MF232w and MF244dw delivers greater convenience, enabling you to access features and configure settings straight from your workstation. Now you get can more done with less effort.



MINIMAL MAINTENANCE

Canon All-in-One toner cartridge 337 requires little upkeep. By integrating the photosensitive drum, cleaning unit and toner reservoir into a single cartridge, it makes cartridge replacements easy.

SMART CONNECTIVITY*



STAY EFFORTLESSLY CONNECTED

Be best connected within your office space. The built-in Wi-Fi and wired Ethernet allow easy printer sharing with your co-workers. In the absence of external network, you can choose to connect directly to the device via the Direct Connection, up to 5 users.

* Only for MF232w and MF244dw.

WIRELESS PRINT & SCAN

Boost office productivity with Canon PRINT Business app by printing or scanning directly from your iOS and Android devices. Other applications such as Apple AirPrint™, Google Cloud Print™, Mopria® and Canon Print Service are supported as well, allowing you to print without having to install any printer drivers.



SPECIFICATIONS

	MF232w	MF241d	MF244dw
PRINT			
Printing Method	Monochrome Laser Beam Printing		
Print Speed (A4)	23ppm	27ppm	
Print Resolution	600 x 600dpi		
Print Quality with Image Refinement Technology	1,200 x 1,200dpi (equivalent)		
Warm-up Time (From power on)	13.5 seconds or less	12.0 seconds or less	13.5 seconds or less
First Print Out Time (FPOT) A4	Approx. 6.0 seconds		
Recovery Time (From sleep mode)	2 seconds or less		
Print Language	UFR II LT		UFR II LT, PCL6
Auto Duplex Printing	-	Standard	
Available Paper Size for Auto Duplex Print	-	A4, Letter, Legal*1, Indian Legal, Foolscap	
Print Margin	5mm-top, bottom, left and right (Other sizes than Envelope) 10mm-top, bottom, left and right (Envelope)		
COPY			
Copy Speed (A4)	23ppm	27ppm	
Copy Resolution	600 x 600dpi		
First Copy Time (FCOT) A4	Approx. 9.0 seconds		
Maximum Number of Copies	Up to 999 copies		
Reduce / Enlargement	25 - 400% in 1% increments		
Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy		
SCAN			
Scan Type	Colour Contact Image Sensor		
Scan Resolution	Optical	Up to 600 x 600dpi	
	Driver Enhanced	Up to 9,600 x 9,600dpi	
Maximum Scan Size	Platen Glass	Up to 216 x 297mm	
	Platen Glass	Approx. 3.0 seconds per sheet (mono), Approx. 4.0 seconds per sheet (colour)	
Scan Speed*2	Platen Glass	Approx. 3.0 seconds per sheet (mono), Approx. 4.0 seconds per sheet (colour)	
Colour Depth	24-bit		
Pull Scan	Yes, USB and Network	Yes, USB	Yes, USB and Network
Pull Scan (Scan to PC) with MF Scan Utility	Yes, USB and Network	Yes, USB	Yes, USB and Network
Scan to Cloud	Yes, MF Scan Utility		
Scan Driver Compatibility	TWAIN, WIA, ICA		
PAPER HANDLING			
Auto Document Feeder (ADF)	-	35 sheets (80g/m ²)	
Available Paper Size for ADF	-	A4, B5, A5, B6, Letter, Legal (Min. 105 x 148mm to Max. 216 x 356mm)	
Paper Input	Standard Cassette	250 sheets	
	Multi-Purpose Tray	1 sheet	
Paper Output (Based on 68g/m ²)	100 sheets (face down)		
Paper Size	Standard Cassette	A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (min. 76.2 x 210mm to max. 216 x 356mm)	
	Multi-Purpose Tray	A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (min. 76.2 x 127mm to max. 216 x 356mm)	
Paper Weight	Standard Cassette	60 to 163g/m ²	
	Multi-Purpose Tray	60 to 163g/m ²	
Paper Type	Plain, Heavy, Recycled, Colour, Bond, Label, Index Card, Envelope		

SPECIFICATIONS

		MF232w	MF241 d	MF244dw
CONNECTIVITY & SOFTWARE				
Standard Interface	Wired	High-Speed USB 2.0, 10 / 100 Base-T Ethernet	High-Speed USB 2.0	High-Speed USB 2.0, 10 / 100 Base-T Ethernet
	Wireless	Wi-Fi 802.11b / g / n (Infrastructure mode, WPS Easy Setup, Direct Connection)	-	Wi-Fi 802.11b / g / n (Infrastructure mode, WPS Easy Setup, Direct Connection)
Network Interface	Print	LPD, RAW, IPP / IPPS, WSD-Print (IPv4, IPv6)	-	LPD, RAW, IPP / IPPS, WSD-Print (IPv4, IPv6)
	Scan	WSD-Scan (IPv4, IPv6)	-	WSD-Scan (IPv4, IPv6)
	TCP / IP Application Services	Bonjour (mDNS), DHCP, BOOTP, RARP, Auto IP (IPv4), DHCPv6 (IPv6)	-	Bonjour (mDNS), DHCP, BOOTP, RARP, Auto IP (IPv4), DHCPv6 (IPv6)
	Management	SNMPv1 / v3 (IPv4, IPv6), HTTP / HTTPS, SNMP	-	SNMPv1 / v3 (IPv4, IPv6), HTTP / HTTPS, SNMP
Network Security	Wired	IP / Mac address filtering, SNMPv3, SSL (HTTPS / IPPS), IEEE802.1x	-	IP/Mac address filtering, SNMPv3, SSL (HTTPS / IPPS), IEEE802.1x
	Wireless	WEP 64 / 128 bit, WPA-PSK (TKIP / AES), WPA2-PSK (AES)	-	WEP 64 / 128 bit, WPA-PSK (TKIP / AES), WPA2-PSK (AES)
Mobile Print Capability		Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple AirPrint™, Mopria® Print Service	-	Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple AirPrint™, Mopria® Print Service
Compatible Operating Systems		Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32/64-bit), Mac OS® 10.6.8-, Linux*3	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Mac OS® 10.6.8-, Linux*3	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS® 10.6.8-, Linux*3
Software Included		Printer driver, Scanner driver, MF Scan Utility, SSID Tool, Toner Status	Printer driver, Scanner driver, MF Scan Utility, Toner Status	Printer driver, Scanner driver, MF Scan Utility, SSID Tool, Toner Status
GENERAL SPECIFICATIONS				
Device Memory		256MB		512MB
Operation Panel		5-line BW LCD		
Dimensions (WxDxH)		390 x 371 x 312mm (Cassette closed) 390 x 441 x 312mm (Cassette opened)		390 x 371 x 360mm (Cassette closed) 390 x 441 x 360mm (Cassette opened)
Weight		Approx. 10.2kg (without cartridge) Approx. 10.8kg (with cartridge)	Approx. 10.8kg (without cartridge) Approx. 11.4kg (with cartridge)	Approx. 12.1kg (without cartridge) Approx. 12.7kg (with cartridge)
Power Consumption	Maximum	1,120W or less		
	During Operation (Avg.)	Approx. 420W		
	During Standby (Avg.)	Approx. 4.2W		
	During Sleep (Avg.)	Approx. 1.2W (USB connection) Approx. 1.3W (Wired LAN connection) Approx. 2.0W (Wireless LAN connection)	Approx. 1.3W (USB connection)	Approx. 1.3W (USB connection) Approx. 1.4W (Wired LAN connection) Approx. 2.1W (Wireless LAN connection)
Noise Level*4	During Operation	Sound Pressure Level: 51.0dB Sound Power Level: 6.6B	Sound Pressure Level: 52.0dB Sound Power Level: 6.6B	
	During Standby	Sound Pressure Level: Inaudible*5, Sound Power Level: 43dB		
Power Requirement		AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)		
Operating Environment		Temperature: 10 to 30°C Humidity: 20% to 80% RH (no condensation)		
Consumables*6		Cartridge 337: 2,400 pages (bundled: 1,700 pages)		
Monthly Duty Cycle*7		15,000 pages		

*1 Legal refers to paper measuring 215.9 x 355.6mm (8.5 x 14 inches).

*2 Speed of scanning via the platen glass. The communication time is not included.

*3 Drivers for Mac OS or Linux can be downloaded from www.canon-asia.com when available.

*4 Measured in accordance with ISO 7779, declared noise emission in accordance with ISO 9296.

*5 "Inaudible" indicates the sound pressure level of each bystander position is below the ISO 7779 absolute criteria for the background.

*6 Declared yield in accordance with ISO / IEC 19752.

*7 Monthly Duty Cycle value provides a means for comparison of product robustness in relation to other Canon laser devices, and does not refer to actual maximum image output per month.



Delighting You Always

**South & Southeast Asia
Regional Headquarters**

1 Fusionopolis Place,
#15-10, Galaxis,
Singapore 138522
Tel: 65-6799 8888
Fax: 65-6799 8882

CANON OFFICES

HONG KONG
Canon Hongkong Co. Ltd.
Tel: 852-3191 2388
Fax: 852-2369 3800
www.canon.com.hk

INDIA
Canon India Pvt Ltd.
Tel: 91-124 416 0000
Fax: 91-124 416 0011
www.canon.co.in

MALAYSIA
Canon Marketing (Malaysia)
Sdn. Bhd.
Customer Care Line: 1800-88-2000
www.canon.com.my

PHILIPPINES
Canon Marketing (Philippines), Inc.
Tel: 632-884 9090
Fax: 632-556 1456
www.canon.com.ph

SINGAPORE
Canon Singapore Pte. Ltd.
Tel: 65-6799 8888
Fax: 65-6799 8882
www.canon.com.sg

THAILAND
Canon Marketing (Thailand) Co. Ltd.
Tel: 66-2 344 9999
Fax: 66-2 344 9960
www.canon.co.th

VIETNAM
Canon Marketing Vietnam Co. Ltd.
Tel: 84-8 3820 0466
Fax: 84-8 3820 0477
www.canon.com.vn

CANON BUSINESS PARTNERS

AFGHANISTAN
Megaplus Afghanistan Ltd.
Tel: 93 700 228 832 / 700 979 511
Fax: 93 20 220 1259
Email: info@megaplus.com.af

BANGLADESH
J.A.N Associates Ltd.
Tel: 880-2-966-0601
Fax: 880-2-861-0410
www.jan-bd.com

BRUNEI
Interhouse Company
Tel: 673-2-653001
Fax: 673-2-653003
www.ihc.com.bn

CAMBODIA
i-Click Marketing Co., Ltd.
Tel: 855-23-996638
Fax: 855-23-996639
www.i-click.com

Royal Cambodia Co. Ltd.
Tel: 855-23-428955
Fax: 855-23-722961
www.royalcambodia.com.kh

INDONESIA
PT. Samafitro
Tel: 62-21 345 5521
Fax: 62-21 384 4271
www.samafitro.co.id

MALDIVES
SIMDI Company (Pvt) Ltd.
Tel: 960 - 3334421
Fax: 960 - 3334424
www.simdi.comm

MYANMAR
Myanmar Golden Rock
International Co., Ltd.
Tel: 95-1 654810 to 19 (10 Lines)
Fax: 95-1 654820
Email: sales@mgr.com.mm

NEPAL
International Electronics Concern (P) Ltd.
Tel: 977-1 4421991
Fax: 977-1 4421909
www.iecc.com.np

PAKISTAN
Shirazi Trading Company (Pvt.) Limited
Tel: 92-21-3241 (7659), (7737) or (7746)
Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418)
www.shirazitrading.com.pk

SRI LANKA
Metropolitan Office (Pvt) Ltd.
Tel: 94-11 470 0200
Fax: 94-11 470 0267
www.metropolitan.lk

Dealer's Stamp

0203W295 © 2016 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon inc. and/or its affiliates. Other names may be the trademarks for their respective owners.