

VIVID PROSPECTS VIBRANT POSSIBILITIES

RISE TO THE TOP OF SEAMLESS CONNECTIVITY



MF633Cdw



Business *Can* be simple



SEAMLESS AND DYNAMIC PRINTS FOR **BRILLIANT, HIGH-PERFORMANCE RESULTS**

Stay connected to a network of cutting-edge features with the Canon imageCLASS MF631Cn and MF633Cdw colour laser multi-function printers. Equipped with the latest V² Colour Technology, print quality is beautifully matched with incredible speed and seamless connectivity. These printers are designed to make multi-tasking effortless, with reliably high print yields that you can count on.

PROFESSIONAL EFFICIENCY



Touch Panel


EASE WITHIN REACH

The imageCLASS MF631Cn and MF633Cdw display a vari-angle, 5-inch colour touchscreen LCD that makes navigation more convenient and intuitive. Newly-improved user interface now lets you carry out everyday tasks such as copying and scanning in just one touch.



DESIGNED FOR MOBILE WORKFORCE

Canon's mobile printing capability makes multi-tasking easier than you imagine. Print directly from your mobile devices using applications that best suit your needs. Choose from a selection of apps such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria® and Canon Print Service.



NETWORK CONNECTIVITY

Enjoy fast data transfers with Gigabit Ethernet connection. In addition, the versatile MF633Cdw can be connected to the network via Wi-Fi as well as allowing direct connection to the printer.



RELIABLY FAST SPEED

MF631Cn and MF633Cdw print and deliver your work documents in 12 seconds or less. With blazing print speeds of up to 18ppm, it is your essential tool for productivity.



HIGHER PRINT YIELDS

Enjoy greater print yields of up to 2,800 pages (Black) and 2,200 pages (Colour), with the optional high-yield toners. This means less frequent toner replacements, giving you extra time and resources to spend for work.



DEPARTMENT ID

Department ID is a simple and cost-effective measure to monitor and limit print usage (monochrome or colour), or even restrict the accessible functions such as Scan, Copy and Colour Printing.

COLOURFUL PERFORMANCE

V² COLOUR

VIVID & VIBRANT PRINTOUTS

Expect stunning visuals with an expanded colour palette on every print. The all-new V² Colour Technology delivers true quality precision that your presentations deserve, for impactful business impressions that last.

FRIENDLY MAINTENANCE



ALL-IN-ONE, LOW UPKEEP

Get printing tasks done effortlessly with minimal maintenance. Canon's printer toner combines the photosensitive drum, cleaning unit and toner reservoir into one cartridge. It also comes with automatic seal removal, for added convenience when you replace your cartridge.

ECO-SAVINGS



REDUCE POWER USAGE

With Sleep Mode, the electricity consumption is minimised to less than 1W, delivering greater savings and a smaller carbon footprint.



MF631Cn

SPECIFICATIONS

		MF631Cn	MF633Cdw
PRINT			
Printing Method		Colour Laser Beam Printing	
Print Speed	A4	Up to 18 / 18 ppm (Mono/Colour)	
	Letter	Up to 19 / 19 ppm (Mono/Colour)	
Print Resolution		600 x 600 dpi	
Print Quality with Image Refinement Technology		1,200 x 1,200 dpi (equivalent) 9,600 (equivalent) x 600 dpi	
Warm up Time (From Power On)		13.0 sec or less	
First Printout Time (FPOT)	A4	Approx. 10.9 / 12.0 sec (Mono/Colour)	
	Letter	Approx. 10.7 / 11.9 sec (Mono/Colour)	
Recovery Time (From Sleep Mode)		Approx. 6.1 sec	
Print Language		UFR II	UFR II, PCL 6
Auto Duplex Print		N/A	Standard
Available Paper Size for Auto Duplex Print		N/A	A4, B5, Letter, Legal ⁽¹⁾ , Executive, Foolscap, Indian Legal
Direct Print		Supported File Format: JPEG, TIFF, PDF	
Print Margins		5 mm - top, bottom, left and right (Envelope: 10 mm)	
Print Features		Poster, Booklet, Watermark, Page Composer, Toner Saver	
COPY			
Copy Speed	A4	Up to 18 / 18 ppm (Mono/Colour)	
	Letter	Up to 19 / 19 ppm (Mono/Colour)	
Copy Resolution		600 x 600 dpi	
First Copy Time (FCOT)	A4	Approx. 12.0 / 14.0 sec (Mono/Colour)	
	Letter	Approx. 11.7 / 13.8 sec (Mono/Colour)	
Maximum Number of Copies		Up to 999 copies	
Reduce/Enlargement		25 - 400% in 1% increments	
Copy Features		Frame Erase, Memory Sort, 2 on 1, 4 on 1, ID Card Copy	
SEND			
Sending Method		SMB, E-mail, FTP, iFAX	
Color Mode		Full Colour, Monochrome	
Scan Resolution		300 x 300 dpi, 200 x 200 dpi	
File Format		JPEG, TIFF, PDF, Compact PDF, PDF (OCR)	
SCAN			
Scan Type		Colour Contact Image Sensor	
Scan Resolution	Optical	Up to 600 x 600 dpi	
	Driver Enhanced	Up to 9,600 x 9,600 dpi	
Color Depth		24-bit	
Pull Scan		Yes, USB and Network	

SPECIFICATIONS

	MF631Cn	MF633Cdw
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network
Scan to USB (via USB Host 2.0)		Yes
Scan Driver Compatibility		TWAIN, WIA, ICA
Scan Speed ^{(*)2}	N/A	1-Sided: 27 pages/minute (mono), 14 pages/minute (colour)
Scan to Cloud		Yes, via MF Scan Utility
PAPER HANDLING		
Auto Document Feeder (ADF)	N/A	50 sheets (80 g/m ²)
Available Paper Size for ADF	N/A	A4, B5, A5, B6, Letter, Legal ^{(*)1} , Statement, Custom Size (min. 105 x 128 mm to max. 215.9 x 355.6 mm)
Paper Input	Cassette	150 sheets
	Multi-Purpose Tray	1 sheet
	Maximum	151 sheets
Paper Output	Print	100 sheets (face down)
Paper Size	Cassette	A4, B5, A5, Legal ^{(*)1} , Letter, Statement, Executive, Foolscap, Indian Legal Custom Size (min. 100 x 148 mm to max. 215.9 x 355.6 mm)
	Multi-Purpose Tray	A4, B5, A5, Legal ^{(*)1} , Letter, Statement, Executive, Foolscap, Indian Legal, Index Card Envelope: COM10, Monarch, C5, DL Custom Size (min. 76.2 x 127 mm to max. 215.9 x 355.6 mm)
Paper Types		Thin, Plain, Recycled, Heavy, Colour, Glossy, Postcard, Envelope
Paper Weight	Cassette	52 to 163 g/m ² (Glossy: up to 200 g/m ²)
	Multi-Purpose Tray	52 to 163 g/m ² (Glossy: up to 200 g/m ²)
CONNECTIVITY & SOFTWARE		
Standard Interface	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T
	Wireless	N/A
Network Protocol	Print	LPD, RAW, WSD-Print (IPv4,IPv6)
	Scan	Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX
	TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6)
	Management	SNMPv1, SNMPv3 (IPv4,IPv6)
Network Security	Wired	IP/Mac address filtering, SNMPv3, SSL(HTTPS/IPPS), IEEE802.1x
	Wireless	N/A
One-Push Wireless Configuration	N/A	Wi-Fi Protected Setup (WPS)
Other Features		Department ID, Secure Print
Mobile Solution		Canon PRINT Business, Apple® AirPrint®, Mopria® Print Service, Google Cloud Print™, Canon Print Service, Windows® 10 Mobile Print
Address Book		LDAP
Compatible Operating Systems ^{(*)3}		Windows® 10, Windows® 8.1, Windows® 8, Windows® 7, Windows Server® 2016, Windows Server® 2012R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.7.5 & up ^{(*)4} , Linux ^{(*)4}
Software Included		Printer driver, Scanner driver, MF Scan Utility, Toner Status
GENERAL		
Device Memory		1 GB RAM
LCD Display		WVGA Color LCD 5.0" Touch Screen Display
Dimensions (W x D x H)	451 x 460 x 347 mm	451 x 460 x 400 mm
Weight	19.5 kg (with cartridges), 17.5 kg (without cartridges)	22.0 kg (with cartridges), 20.0 kg (without cartridges)
Power Consumption (Maximum)		850 W or less
Power Consumption (Average; During Operation)		Approx. 350 W
Power Consumption (Average; During Standby)		Approx. 13.6 W
Power Consumption (Average; During Sleep)	Approx. 0.94 W (USB/wired)	Approx. 0.94 W (USB/wired), approx. 0.98 W (wireless)
Noise Levels ^{(*)5}	During Operation	Sound Pressure Level: 49 dB, Sound Power Level: 6.4 B
	During Standby	Sound Pressure Level: Inaudible, Sound Power Level: Inaudible
Operating Environment	Temperature	10 - 30°C
	Humidity	20% - 80% RH (no condensation)
Power Requirements		AC 220 - 240 V(+/- 10%), 50/60 Hz(+/- 2 Hz)
Toner Cartridge ^{(*)6}	Standard	Cartridge 045 BK: 1,400 pages (bundled: 1,400 pages) Cartridge 045 C/M/Y: 1,300 pages (bundled: 690 pages)
	High	Cartridge 045H BK: 2,800 pages, Cartridge 045H C/M/Y: 2,200 pages
Monthly Duty Cycle ^{(*)7}		30,000 pages

*1 Legal size refers to paper size measuring 215.9 x 355.6 mm. (8.5 x 14 inch)

*2 Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi

*3 ScanGear is not available for Windows Server 2008/2012

*4 Drivers for Mac OS can be downloaded from www.canon-asia.com website when available.

Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from www.canon-asia.com website when available.

*5 Tested in accordance to ISO 7779 and declared per ISO 9296

*6 Toner cartridge yield is in accordance with ISO/IEC 19798

*7 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser printers. It does not refer to actual maximum image output per month.

Canon

Delighting You Always

South & Southeast Asia Regional Headquarters

Canon Singapore Pte. Ltd.

1 Fusionopolis Place,

#15-10, Galaxis,

Singapore 138522

Tel: 65-6799 8888

Fax: 65-6799 8882

www.canon-asia.com

CANON OFFICES

HONG KONG

Canon Hongkong Co., Ltd.
Tel: 852-3191 2388
Fax: 852-2369 3800
www.canon.com.hk

INDIA

Canon India Pvt Ltd.
Tel: 91-124 416 0000
Fax: 91-124 416 0011
www.canon.co.in

MALAYSIA

Canon Marketing (Malaysia) Sdn. Bhd.
Tel: 60-3 7844 6000
Fax: 60-3 7845 0505
www.canon.com.my

PHILIPPINES

Canon Marketing (Philippines), Inc.
Tel: 632-884 9090
Fax: 632-556 1456
www.canon.com.ph

SINGAPORE

Canon Singapore Pte. Ltd.
Tel: 65-6799 8888
Fax: 65-6799 8882
www.canon.com.sg

THAILAND

Canon Marketing (Thailand) Co. Ltd.
Tel: 66-2 344 9999
Fax: 66-2 344 9960
www.canon.co.th

VIETNAM

Canon Marketing Vietnam Co. Ltd.
Tel: 84-8 3820 0466
Fax: 84-8 3820 0477
www.canon.com.vn

CANON BUSINESS PARTNERS

AFGHANISTAN

Megaplus Afghanistan Ltd.
Tel: 93 700 228 832 / 700 979 511
Fax: 93 20 220 1259
Email: info@megaplus.com.af

BANGLADESH

J.A.N Associates Ltd.
Tel: 880-2-966-0601
Fax: 880-2-661-0410
www.jan-bd.com

BRUNEI

Interhouse Company
Tel: 673-2-653001
Fax: 673-2-653003
www.ihc.com.bn

CAMBODIA

i-Click Marketing Co., Ltd.
Tel: 855-23-996638
Fax: 855-23-996639
www.i-click.com

Royal Cambodia Co. Ltd.

Tel: 855-23-428955
Fax: 855-23-722961
www.royalcambodia.com.kh

INDONESIA

P.T. Samafitro
Tel: 62-21 345 5521
Fax: 62-21 384 4271
www.samafitro.co.id

MALDIVES

SIMDI Company (Pvt) Ltd.
Tel: 960 - 3334421
Fax: 960 - 3334424
www.simdi.com

MONGOLIA

ITzone
Tel: 976-11-323705
Fax: 976-11-312699
www.itzone.mn/en

MYANMAR

Myanmar Golden Rock International Co., Ltd.
Tel: 95-1 654810 to 19 (10 Lines)
Fax: 95-1 654820
Email: sales@mgr.com.mm

NEPAL

International Electronics Concern (P) Ltd.
Tel: 977-1 4421991
Fax: 977-1 4421909
www.iec.com.np

PAKISTAN

Shirazi Trading Company (Pvt.) Limited
Tel: 92-21-3241 (7659), (7737) or (7746)
Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418)
www.shirazitrading.com.pk

SRI LANKA

Metropolitan Office (Pvt) Ltd.
Tel: 94-11 470 0200
Fax: 94-11 470 0267
www.metropolitan.lk

Dealer's Stamp

0207W509 © 2017 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon inc. and/or its affiliates. Other names may be the trademarks for their respective owners.